

## Understanding Society User Support - Issues

| #   | Status | Priority  | Subject  | Author                     | Updated             | % Done | Assignee                   |
|-----|--------|-----------|--|----------------------------|---------------------|--------|----------------------------|
| 703 | Closed | High      | Longitudinal weights for periods of years  | Agnes Norris Keiller       | 04/24/2017 01:55 PM | 100    | Agnes Norris Keiller       |
| 298 | Closed | Urgent    | USOC cross-section household weight for BHPS sample: wave 3                            | Alex Hurrell               | 09/11/2014 02:09 PM | 100    | Alex Hurrell               |
| 323 | Closed | Urgent    | which weight to use  | Veronique Siegler          | 11/10/2015 10:57 AM | 100    | Alita Nandi                |
| 419 | Closed | Normal    | Adult self completion wave 2 and weights   | afshin zilawala            | 11/10/2015 10:41 AM | 100    | Alita Nandi                |
| 371 | Closed | Normal    | Weighting for longitudinal youth analysis  | Kareena McAloney-Kocaman   | 11/10/2015 10:51 AM | 100    | Alita Nandi                |
| 881 | Closed | High      | weighting values of zero   | Andrew Brown               | 03/07/2018 05:44 PM | 100    | Andrew Brown               |
| 847 | Closed | Urgent    | Complex samples suite in SPSS  | Carla Ayrton               | 10/16/2017 04:27 PM | 100    | Carla Ayrton               |
| 621 | Closed | Normal    | Weights - biomarker data   | Claire Niedzwiedz          | 09/05/2016 03:44 PM | 100    | Claire Niedzwiedz          |
| 561 | Closed | High      | Survey design and longitudinal weight choice in unbalanced panels                      | Dan Brown                  | 06/06/2016 09:50 AM | 100    | Dan Brown                  |
| 700 | Closed | High      | longitudinal weights for small sub-samples   | David Bartram              | 01/30/2017 11:51 AM | 100    | David Bartram              |
| 814 | Closed | High      | Longitudinal weight in R with - wide dataset   | Eleonora Iob               | 07/24/2017 04:52 PM | 100    | Eleonora Iob               |
| 409 | Closed | Normal    | Weights for w2 bloods  | Gill Weston                | 09/22/2015 10:51 AM | 100    | Gill Weston                |
| 679 | Closed | High      | paired balanced panel in UKHLS/BHPS  | Glenna Nightingale         | 01/04/2017 01:31 PM | 100    | Glenna Nightingale         |
| 388 | Closed | Normal    | Weights Northern Ireland UK  | Gretta Mohan               | 11/10/2015 10:47 AM | 100    | Gretta Mohan               |
| 713 | Closed | Urgent    | Weighting for longitudinal analysis of USOC waves 2 to 5                               | Jane Lakey                 | 02/13/2017 03:33 PM | 100    | Jane Lakey                 |
| 689 | Closed | Urgent    | Weighting on youth self-completion datasets  | Jane Lakey                 | 01/16/2017 09:01 AM | 100    | Jane Lakey                 |
| 670 | Closed | High      | weighting for youths moving to adult surveys   | Jane Lakey                 | 12/12/2016 09:38 AM | 100    | Jane Lakey                 |
| 667 | Closed | High      | how best to weight USOC youth data when linking waves for longitudinal analysis        | Jane Lakey                 | 12/12/2016 09:39 AM | 100    | Jane Lakey                 |
| 663 | Closed | High      | Weighting  | Jane Lakey                 | 12/06/2016 08:57 AM | 100    | Jane Lakey                 |
| 675 | Closed | High      | Weighting youth data and average parental characteristics                              | K.Samantha Russell Jonsson | 12/15/2016 10:29 AM | 100    | K.Samantha Russell Jonsson |
| 735 | Closed | High      | Weighting reducing sample numbers  | Kirsty Tiernan             | 04/05/2017 03:09 PM | 100    | Kirsty Tiernan             |
| 872 | Closed | High      | Weights of the continuation of the BHPS sample into UKHLS                              | Lawrence Sacco             | 12/18/2017 02:38 PM | 100    | Lawrence Sacco             |
| 563 | Closed | Normal    | Weights when using the youth panel   | Libby Webb                 | 06/06/2016 09:50 AM | 100    | Libby Webb                 |
| 823 | Closed | High      | BHPS Weights   | Liviu Nafornta             | 09/14/2017 05:26 PM | 100    | Liviu Nafornta             |
| 736 | Closed | Normal    | Cross-sectional weight for self-completion questionnaire in wave 6                     | Mark Fransham              | 03/09/2017 03:22 PM | 100    | Mark Fransham              |
| 716 | Closed | High      | Weighting linked USoc-NPD dataset  | Matt Barnes                | 08/05/2019 07:08 AM | 100    | Matt Barnes                |
| 682 | Closed | Normal    | Weights for combined youth panel and main adult panel, BHPS and UKHLS                  | Megan Scott                | 01/16/2017 09:01 AM | 100    | Megan Scott                |
| 658 | Closed | Immediate | Weights, BHPS and USoc pooled  | Min Zhang                  | 01/04/2017 01:29 PM | 100    | Min Zhang                  |
| 839 | Closed | Normal    | Pooling data from all waves, 1-6, using all subsamples of USoc (GPS, EMBS, BHPS, IEMB) | Nico Ochmann               | 10/16/2017 04:25 PM | 100    | Nico Ochmann               |

| #   | Status | Priority  | Subject  | Author                 | Updated             | % Done | Assignee               |
|-----|--------|-----------|--|------------------------|---------------------|--------|------------------------|
| 758 | Closed | Normal    | weights for pooled cross-sections over waves (a)-(f)   | Nico Ochmann           | 06/15/2017 03:08 PM | 100    | Nico Ochmann           |
| 752 | Closed | Normal    | Weights  | Nicola Spencer Godfrey | 04/24/2017 01:57 PM | 100    | Nicola Spencer Godfrey |
| 848 | Closed | Immediate | Clinical Depression H_COND variables   | Luca Bernardi          | 01/09/2018 01:46 PM | 100    | Olena Kaminska         |
| 440 | Closed | Urgent    | Longitudinal Regression Analysis Weights   | Esther Afolalu         | 11/10/2015 10:36 AM | 100    | Olena Kaminska         |
| 245 | Closed | Urgent    | cross sectional hh weights in US w1/2/3  | Ian Alcock             | 05/28/2018 08:24 AM | 100    | Olena Kaminska         |
| 453 | Closed | High      | Zero value weight with nurse data combined to blood sample and main sample (w2)                                  | Gaelle Albertus        | 12/23/2015 10:37 AM | 100    | Olena Kaminska         |
| 430 | Closed | High      | Sample size and weight within blood sample w2  | Gaelle Albertus        | 11/10/2015 10:37 AM | 100    | Olena Kaminska         |
| 412 | Closed | High      | Weights for BHPS and Understanding Society   | Andreas Wiedemann      | 11/10/2015 10:42 AM | 100    | Olena Kaminska         |
| 261 | Closed | High      | Weighting for wave 2   | Fatemeh Behzadnejad    | 11/10/2015 11:03 AM | 100    | Olena Kaminska         |
| 886 | Closed | Normal    | Zero weights and statistical power   | Eric Emerson           | 03/07/2018 05:50 PM | 100    | Olena Kaminska         |
| 513 | Closed | Normal    | e_indscus_lw   | Orla McBride           | 03/16/2016 11:53 AM | 100    | Olena Kaminska         |
| 506 | Closed | Normal    | weights and design variables query Waves 2-5   | Orla McBride           | 03/08/2016 04:05 PM | 100    | Olena Kaminska         |
| 505 | Closed | Normal    | Cross Sectional weights (xrwght/xrwtk1) and job history files. [BHPS]  | Ivan Privalko          | 02/18/2016 11:19 AM | 100    | Olena Kaminska         |
| 498 | Closed | Normal    | weight youth self-completion + adult   | Carolina Zuccotti      | 02/08/2016 01:08 PM | 100    | Olena Kaminska         |
| 462 | Closed | Normal    | Longitudinal weights   | Rory Coulter           | 12/09/2015 07:29 PM | 100    | Olena Kaminska         |
| 456 | Closed | Normal    | comparing across waves   | Carolina Zuccotti      | 12/23/2015 10:37 AM | 100    | Olena Kaminska         |
| 448 | Closed | Normal    | weights  | Vernon Hedge           | 11/20/2015 09:23 AM | 100    | Olena Kaminska         |
| 414 | Closed | Normal    | Weights for unbalanced panel   | Ewan Carr              | 11/10/2015 10:44 AM | 100    | Olena Kaminska         |
| 291 | Closed | Normal    | USOC cross-section household weight for BHPS sample: wave 3  | Alex Hurrell           | 11/10/2015 11:01 AM | 100    | Olena Kaminska         |
| 262 | Closed | Normal    | Weights  | Maire Williams         | 11/10/2015 11:03 AM | 100    | Olena Kaminska         |
| 253 | Closed | Normal    | general population sample  | peter tammes           | 11/10/2015 11:01 AM | 100    | Olena Kaminska         |
| 225 | Closed | Normal    | Merging BHPS and USOC weighting.   | Nathan Hudson-Sharp    | 11/10/2015 11:11 AM | 100    | Olena Kaminska         |
| 55  | Closed | Normal    | Do weights adjust for non-independence of children within households?  | Peter Taylor           | 11/10/2015 02:50 PM | 100    | Olena Kaminska         |
| 54  | Closed | Normal    | Weights for youth self-completion data   | Peter Taylor           | 11/10/2015 02:48 PM | 100    | Olena Kaminska         |
| 820 | Closed | Normal    | Longitudinal vs cross-sectional weight choice  | Oliver Southwick       | 09/14/2017 05:25 PM | 100    | Oliver Southwick       |
| 230 | Closed | Immediate | Weights  | Ourega-Zoe Ejebu       | 12/30/2013 10:25 AM | 100    | Ourega-Zoe Ejebu       |
| 785 | Closed | High      | Weighting for a complex sub-merged dataset   | Emily Lowthian         | 06/07/2017 03:42 PM | 40     | Peter Lynn             |
| 224 | Closed | Normal    | enumerated person weight vs person design weight   | Gary Pang              | 11/10/2015 12:20 PM | 100    | Redmine Admin          |
| 38  | Closed | Normal    | Weight to use at benefit unit level  | Mike Bielby            | 11/10/2015 02:51 PM | 100    | Redmine Admin          |
| 601 | Closed | Normal    | cross-sectional weight for xtra five minute sample missing from wave 2 datafile                                  | Renee Luthra           | 08/01/2016 09:55 AM | 100    | Renee Luthra           |
| 611 | Closed | High      | longitudinal weights or cross-sectional weights for descriptive with index constructed with longitudinal weights | Rita Bussi             | 08/11/2016 08:28 AM | 100    | Rita Bussi             |

| #   | Status | Priority  | Subject   | Author                | Updated             | % Done | Assignee          |
|-----|--------|-----------|---|-----------------------|---------------------|--------|-------------------|
| 598 | Closed | High      | crosssectional BHPS sample weights in Understanding Society         | Sait Bayrakdar        | 08/01/2016 09:50 AM | 100    | Sait Bayrakdar    |
| 502 | Closed | Normal    | Weights to use to analyse year-to-year transitions within waves 1-5 | Sanne Velthuis        | 02/18/2016 01:04 PM | 100    | Sanne Velthuis    |
| 825 | Closed | Urgent    | BHPS weights for BHPS components in UKHLS wave 6                    | Sook Kim              | 10/16/2017 04:24 PM | 100    | Sook Kim          |
| 668 | Closed | Normal    | Weights   | Tess Carter           | 12/12/2016 09:38 AM | 100    | Tess Carter       |
| 683 | Closed | High      | Weights for combined measures and data files                        | Theodora Kokosi       | 01/04/2017 01:37 PM | 100    | Theodora Kokosi   |
| 592 | Closed | Normal    | Sampling weights when using the Youth Survey                        | Tomos Robinson        | 07/25/2016 12:55 PM | 100    | Tomos Robinson    |
| 401 | Closed | Normal    | Weights and finding variables                                       | Tracy Turc-Milloy     | 09/10/2015 05:21 PM | 100    | Tracy Turc-Milloy |
| 630 | Closed | Normal    | weight with fixed-effects   | Carolina Zuccotti     | 11/03/2016 02:39 PM | 100    | Victoria Nolan    |
| 878 | Closed | Urgent    | employment histories  | marco tosi            | 08/26/2019 09:52 AM | 100    | marco tosi        |
| 284 | Closed | Immediate | Ethnic Boost in Innovation Panel                                    | HSIN CHEN             | 08/18/2014 02:46 PM | 100    |                   |
| 281 | Closed | Immediate | Weights for IP5   | HSIN CHEN             | 08/18/2014 02:45 PM | 100    |                   |
| 272 | Closed | Immediate | Questions about IP1 and IP4.  | Hsin Chen             | 07/03/2014 10:39 AM | 100    |                   |
| 836 | Closed | Urgent    | Weighting for general population                                    | Ray Storry            | 08/17/2017 11:04 AM | 100    |                   |
| 387 | Closed | High      | Weights when nurse visit is baseline                                | Amanda Hughes         | 08/06/2015 02:38 PM | 100    |                   |
| 342 | Closed | High      | BHPS sample in US   | Onyinye Ezeyi         | 03/16/2015 12:05 PM | 100    |                   |
| 318 | Closed | High      | missing standard errors Wave 3                                      | Carolina Zuccotti     | 12/12/2014 12:19 PM | 100    |                   |
| 301 | Closed | High      | Weighting Wave 2  | Sung Park             | 09/22/2014 04:36 PM | 100    |                   |
| 494 | Closed | Normal    | Pooled Cross-Sectional Analysis                                     | Peter Lynn            | 04/24/2017 01:53 PM | 100    |                   |
| 450 | Closed | Normal    | subpopulation analysis  | Stefanie Jane         | 12/23/2015 10:37 AM | 100    |                   |
| 442 | Closed | Normal    | Weight for longitudinal analysis with BHPS Youth dataset            | Genevieve Gariepy     | 11/16/2015 03:22 PM | 100    |                   |
| 393 | Closed | Normal    | Weights for unbalanced panel  | Gareth Hagger-Johnson | 08/24/2015 09:22 AM | 100    |                   |
| 385 | Closed | Normal    | EMB sample  | Vivian So             | 07/21/2015 10:45 AM | 100    |                   |
| 372 | Closed | Normal    | Longitudinal weighting  | Ulrike Rauer          | 05/22/2015 12:26 PM | 100    |                   |
| 362 | Closed | Normal    | weights for longitudinal analysis                                   | Anonymous             | 05/11/2015 09:31 AM | 100    |                   |
| 360 | Closed | Normal    | Non-response models for Wave 2                                      | Dharmi Kapadia        | 11/10/2015 10:53 AM | 100    |                   |
| 351 | Closed | Normal    | longitudinal vs. cross-sectional weights                            | Carolina Zuccotti     | 04/13/2015 10:50 AM | 100    |                   |
| 348 | Closed | Normal    | longitudinal or cross-sectional weights                             | Stefanie Jane         | 03/26/2015 04:21 PM | 100    |                   |
| 335 | Closed | Normal    | Household weights in b_hhresp Wave 2                                | Dharmi Kapadia        | 02/04/2015 02:17 PM | 100    |                   |
| 315 | Closed | Normal    | Zero values in Cross Sectional adult weights                        | Cinzia Rienzo         | 10/30/2014 02:04 PM | 100    |                   |
| 296 | Closed | Normal    | zero value weights using c_indnsb_xw                                | Esther Curnock        | 10/16/2014 08:13 AM | 100    |                   |
| 259 | Closed | Normal    | Question about individual self completion weight in UKHLS Wave 3    | Yang Hu               | 06/06/2014 02:27 PM | 100    |                   |
| 258 | Closed | Normal    | High number of 0 weights  | Jan Eichhorn          | 06/02/2014 10:00 AM | 100    |                   |
| 254 | Closed | Normal    | svyset query  | Stephanie Wallace     | 05/09/2014 12:52 PM | 100    |                   |

| #   | Status | Priority | Subject                           | Author        | Updated             | % Done | Assignee |
|-----|--------|----------|-----------------------------------|---------------|---------------------|--------|----------|
| 228 | Closed | Normal   | Wave 3 equivalent of b_indscbh_xw | David Bayliss | 01/15/2014 11:00 AM | 100    |          |